

BIBLIOGRAPHY

Alexander, M. J. (1996). Women with co-occurring addictive and mental disorders: An emerging profile of vulnerability. *American Journal of Orthopsychiatry*, 66(1), 61–70.

American Psychiatric Association (1994). *Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition (DSM-IV)*. Washington, DC: American Psychiatric Association, 181–183.

Aos, S., Phipps, P., Barnoski, R., Lieb, R. (2001, May). *The comparative costs and benefits of programs to reduce crime*. Olympia, WA: Washington State Institute for Public Policy.

Bachrach, L. L. (1987). The context of care for the chronic mental patient with substance abuse. *Psychiatric Quarterly*, 58, 3–14.

Backer, T.E. (2001a). *Finding the balance: Executive summary of a state-of-the-art review*. Rockville, MD: Center for Substance Abuse Prevention, SAMHSA Model Programs. Available online: www.samhsa.gov

Backer, T.E. (2001b). *Finding the balance: Program fidelity and adaptation in substance abuse prevention*. Rockville, MD: Center for Substance Abuse Prevention, SAMHSA Model Programs. Available online: www.samhsa.gov

Beardslee, W. R. (2002). *Out of the Darkened Room. When a Parent is Depressed, Protecting the Children and Strengthening the Family*. Boston: Little Brown and Company.

Beitchman, J. H., Douglas, L., Wilson, B., Johnson, C., Young, A., Atkinson, L., Escobar, M., & Taback, N. (1999). Adolescent substance use disorders: Findings from a 14-year follow-up of speech/language-impaired and control children. *Journal of Clinical Child Psychology*, 28, 312–321.

Botvin, G.J., Baker, E., Dusenbury, L., Botvin, E.M. & Diaz, T. (1995a). Long-term follow-up results of a randomized drug abuse prevention trial in a White middle-class population. *Journal of the American Medical Association*, 273(14), 1106-1112.

Botvin, G.J., Baker, E., Dusenbury, L., Tortu, S., & Botvin, E.M. (1990). Preventing adolescent drug abuse through a multimodal cognitive-behavioral approach: Results of a 3-year study. *Journal of Consulting and Clinical Psychology*, 58, 437-446.

Botvin, G.J., Schinke, S.P., Epstein, J.A., Diaz, T. & Botvin, E.M. (1995b). Effectiveness of culturally-focused and generic skills training approaches to alcohol and drug abuse prevention

among minority adolescents: Two-Year follow-up results. *Psychology of Addictive Behaviors*, 9, 183-194.

Bumbarger, B. & Greenberg, M. T. (2002). Commentary on “Positive youth development in the United States: Research findings on evaluations of positive youth development programs”: Next steps in advancing research on positive youth development. *Prevention & Treatment*, 5, Article 16. Available online at: journals.apa.org/prevention/volume5/pre0050015a.html

Catalano, R. F., Berglund, M. L., Ryan, J. A. M., Lonczak, H. S., & Hawkins, J. D. (2002). Positive youth development in the United States: Research findings on evaluations of positive youth development programs. *Prevention & Treatment*, 5, Article 15. Available online at: journals.apa.org/prevention/volume5/pre0050015a.html

Center for Substance Abuse Prevention. (1999). *Here's proof prevention works: Understanding substance abuse prevention – Toward the 21st century. Background information* (DHHS Publication No. SMA 99-3300). Rockville, MD: Author.

Center for the Advancement of Children's Mental Health (n.d.). Available online at: www.kidsmentalhealth.org

Center for Mental Health Services (CMHS) (1999). *Annual Report to Congress on the Evaluation of the Comprehensive Community Mental Health Services for Children and Their Families Program*. Rockville, MD: Substance Abuse and Mental Health Services Administration.

Center for Substance Abuse Prevention (CSAP) (1999). *Here's Proof, Prevention Works. Understanding Substance Abuse Prevention—Toward the 21st Century*. DHHS Publication No. (SMA) 99-3300. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration.

Center for Substance Abuse Prevention (CSAP) (2001). *2001 Annual Report of Science-Based Prevention Programs*. 2001 CADCA Conference Edition. Working draft.

Center for Substance Abuse Treatment (CSAT) (1994). *Assessment and Treatment of Patients with Coexisting Mental Illness and Alcohol and Other Drug Abuse*. Treatment Improvement Protocol (TIP) Series. Rockville, MD: Substance Abuse and Mental Health Services Administration.

Center for Substance Abuse Treatment (CSAT) (In press). *Substance Abuse Treatment and Co-Occurring Disorders*. Treatment Improvement Protocol (TIP) Series. Rockville, MD: Substance Abuse and Mental Health Services Administration.

- Chong, M.-Y., Chan, K.-W., & Cheng, A. T. A. (1999). Substance use disorders among adolescents in Taiwan: Prevalence, sociodemographic correlates and psychiatric comorbidity. *Psychological Medicine*, 29, 1387–1396.
- Coie, J. D., & Jacobs, M. R. (1993). The role of social context in the prevention of conduct disorder. *Development and Psychopathology*, 5, 263–275.
- Costello, E. J., Angold, A., Burns, B. J., Erkanli, A., Stangl, D. K., & Tweed, D. L. (1996). The Great Smoky Mountains Study of Youth: Functional impairment and severe emotional disturbance. *Archives of General Psychiatry*, 53, 1137–1143.
- Costello, J.E., Erkanli, A., Federman, E., & Angold, A. (1999). Development of psychiatric comorbidity with substance abuse in adolescents: Effects of timing and sex. *Journal of Clinical Child Psychology*, 28, 298–311.
- Costello, E. J., Armstrong, T. D., & Erkanli, A. (2000). *Report on the Developmental Epidemiology of Co-Morbid Psychiatric and Substance Use Disorders*. Presented to the National Institute on Drug Abuse. Durham, NC: Duke University Medical Center.
- Curie, C. (2003). *Finding the common denominators: SAMHSA's strategic framework for prevention*. Paper presented at the Risk Avoidance Meeting, U.S. Department of Health and Human Services. Washington, DC: February 5, 2003.
- Dadds, M. R. (2001). Fads, politics, and research: Keeping prevention on the mental health agenda. *Prevention & Treatment*, 4, Article 6.
- Davis, N. J. (1999). *Resilience. Status of the Research and Research-Based Programs*. Working paper. Rockville, MD: Center for Mental Health Services.
- Davis, N. J. (2002). The promotion of mental health and the prevention of mental and behavioral disorders: Surely the time is right. *International Journal of Mental Health*, 4(1), 3–29.
- Drake, R. E., & Osher, F. C. (1997). Treating substance abuse in patients with severe mental illness. In S. W. Henggeler & A. B. Santos (Eds.), *Innovative approaches for difficult-to-treat populations* (pp. 239–252). Washington, DC: American Psychiatric Press.
- Drake, R. E. & Wallach, M. A. (2000). Dual diagnosis: 15 years of progress. *Psychiatric Services*, 51(9), 1126–1129.
- Dryfoos, J. G. (1990). *Adolescents at Risk: Prevalence and Prevention*. New York: Oxford

University Press.

Elias, M. J. (1997). Reinterpreting dissemination of prevention programs as widespread implementation with effectiveness and fidelity. In R. P. Weissberg & T. P. Gullotta, et al. (Eds.), *Healthy children 2010: Establishing preventive services. Issues in children's and families' lives* (Vol. 9, pp. 253-289). Thousand Oaks, CA: Sage Publications.

Elliott, D. S., Huizinga, D., & Menard, S. (1989). *Multiple Problem Youth: Delinquency, Substance Use and Mental Health Problems*. New York: Springer-Verlag.

Elliott, D. S. (1993). Health-enhancing and health-compromising lifestyles. In S.G. Millstein, A. C. Peterson, and E. O. Nightingale (Eds.), *Promoting the Health of Adolescents: New Directions for the Twenty-First Century* (pp. 119–145). New York: Oxford University Press.

Emshoff, J., Blakely, C., Gray, D., Jakes, S., Brounstein, P., & Coulter, J. (in press). An ESID case study at the Federal level. *American Journal of Community Psychology*.

Federation of Families for Children's Mental Health (FFCMH) (2001). *Vision/Mission Statement*. Available online at <http://www.ffcmh.org>

Federation of Families for Children's Mental Health and Keys for Networking, Inc. (FFCMH) (2000). *Blamed and Ashamed: The Treatment Experience of Youth with Co-Occurring Substance Abuse and Mental Health Disorders and Their Families*. Alexandria, VA: FFCMH.

Gardner, S. E., & Brounstein, P. J. (2001). *Principles of Substance Abuse Prevention*. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Center for Substance Abuse Prevention, Division of Knowledge Development and Evaluation.

Gardner, S. E., Brounstein, P. J., & Stone, D. B. (2001a). *Promising and Proven Substance Abuse Prevention Programs*. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Center for Substance Abuse Prevention, Division of Knowledge Development and Evaluation.

Gardner, S. E., Brounstein, P. J., & Stone, D. B. (2001b). *Science-Based Substance Abuse Prevention: A Guide*. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Center for Substance Abuse Prevention, Division of Knowledge Development and Evaluation.

Goodman, L. A., Rosenberg, S. D., Mueser K. T., & Drake, R. E. (1997). Physical and sexual assault history in women with serious mental illness: Prevalence, correlates, treatment, and future research directions. *Schizophrenia Bulletin*, 23(4), 685–696.

Greene, R. W., Biederman, J., Faraone, S. V., Wilens, T. E., Mick, E., & Blier, H. K. (1999). Further validation of social impairment as a predictor of substance use disorders: Findings from a sample of siblings of boys with and without ADHD. *Journal of Clinical Child Psychology*, 28, 349–354.

Greenberg, M.T., Domitrovich, C., Graczyk, P.A., and Zins, J.E. (in press). *The study of implementation in school-based prevention research: Implications for theory, research, and practice*. Rockville, MD: Center for Mental Health Services, Substance Abuse, and Mental Health Services Administration.

Greenberg, M. T., Domitrovich, C., & Bumbarger, B. (1999). *Executive Summary: Preventing Mental Disorders in School-Age Children: A Review of the Effectiveness of Prevention Programs*. Rockville, MD: Center for Mental Health Services.

Greenberg, M. T., Domitrovich, C., & Bumbarger, B. (2000). *Preventing Mental Disorders in School-Age Children: A Review of the Effectiveness of Prevention Programs*. Rockville, MD: Center for Mental Health Services.

Greenblatt, J. C. (2000). *Patterns of Alcohol Use among Adolescents and Associations with Emotional and Behavioral Problems*. Substance Abuse and Mental Health Services Administration, Office of Applied Studies. Working paper. Rockville, MD: SAMHSA.

Hawkins, J. D. & Catalano, R. F. (1992). *Communities that Care: Action for Drug Abuse Prevention*. San Francisco, CA: Jossey-Bass.

Hawkins, J. D., Catalano, R. F., Kosterman, R., Abbott, R., & Hill, K. G. (1999). Preventing adolescent health-risk behaviors by strengthening protection during childhood. *Archives of Pediatrics and Adolescent Medicine*, 153(3), 226–234.

Heflinger, C. A., Brannan, A. M., McKenzie, M., & McKenzie, J. (May 31, 2002). Presentation at the Research and Training Center on Family Support and Children's Mental Health's "Building on Family Strengths" Conference, Portland, Oregon.

Hosman, C.M.H. (2002). Progress in evidence-based prevention and promotion in mental health. In P.J. Mrazek, & C.M.H. Hosman (Eds.), *Toward a strategy for worldwide action to promote mental health and prevent mental and behavioral disorders*. Alexandria, VA: World Federation for Mental Health.

- Huizinga, D. & Jakob-Chen, C. (1998). Contemporaneous co-occurrence of serious and violent juvenile offending and other problem behaviors. In R. Loeber and D. P. Farrington (Eds.), *Serious and Violent Juvenile Offenders: Risk Factors and Successful Interventions* (pp. 47–67). Thousand Oaks, CA: Sage Publications.
- Hussong, A.M., Curran, P.J. & Chassin, L. (1998). Pathways of risk for children of alcoholics' accelerated heavy alcohol use. *Journal of Abnormal Child Psychology*, 26, 453-466.
- Illinois State Board of Education (2002). Emotional/Behavioral Disabilities/Positive Behavioral Interventions and Supports (ISBE EBD/PBIS.) Available online at www.ebdsn-network-il.org
- Jensen, P. S., Amsel, L., Offord, D., Costello, J., Friedman, R., & Huff, B. (Manuscript in preparation). Developing Mental Health Indicators for U.S. Children and Adolescents. New York: Center for the Advancement of Children's Mental Health, Department of Child Psychiatry Columbia University/N.Y. State Psychiatric Institute.
- Kaplow, J. B., Curran, P. J., Dodge, K., & Conduct Problems Prevention Research Group (2002). Child, parent, and peer predictors of early-onset substance use: A multi-site longitudinal study. *Journal of Abnormal Child Psychology*, 30, 199–216.
- Keenan, K., Loeber, R., Zhang, Q., Stouthamer-Loeber, M., & Van Kammen, W.B. (1995). The influence of deviant peers on the development of boys' disruptive and delinquent behavior: A temporal analysis. *Development and Psychopathology*, 7, 715-726.
- Kessler, R. C. (1994). The national comorbidity survey of the United States. *International Review of Psychiatry*, 6, 365–376.
- Kessler, R. C., Nelson, C. B., McGonagle, K. A., Edlund, M. J., Frank, R. G., & Leaf, P. J. (1996). The epidemiology of co-occurring addictive and mental disorders: Implications for prevention and service utilization. *American Journal of Orthopsychiatry*, 66(1), 17–31.
- Knitzer, J. (1982). *Unclaimed Children: The Failure of Public Responsibility to Children and Adolescents in Need of Mental Health Services*. Washington, DC: Children's Defense Fund.
- Kumpfer, K. & Alder, S. (October, 1998). *Family interventions for the prevention of drug abuse: The need to disseminate research based programs with effective results*. Manuscript in preparation. Available from author, Department of Health Education, University of Utah, SLC, Utah, 84112.
- Kumpfer, K.L. (1999). Factors and processes contributing to resilience: The resilience framework. In M.D. Glantz & J. Johnson (Eds.), *Resilience and development: Positive life adaptations*. New York: Kluwer Academic/Plenum Publishers.

- Kumpfer, K.L., Alvarado, R., Smith, P., & Bellamy, N. (2002). Cultural sensitivity in universal family-based prevention interventions. In K. Kavanaugh, R. Spoth, & T. Dishion (Special Edition Eds.), *Prevention Science*, 3 (3), 241-244.
- Lezak, A. & MacBeth, G. (Eds.). (2002). *Overcoming Barriers to Serving Our Children in the Community*. Delmar, NY: Advocates for Human Potential.
- Loeber, R. & Farrington, D. P. (Eds.) (1999). *Serious and Violent Juvenile Offenders: Risk Factors and Successful Interventions*. Thousand Oaks, CA: Sage Publications.
- Marcenko, M. O., Keller, T. E., & Delaney, M. A. (2001). Children with SED and their families in an urban public mental health system: Characteristics, needs, and expectations. *Journal of Child and Family Studies*, 10(2), 213–226.
- Masten, A. S., & Coatsworth, J. D. (1998). The development of competence in favorable and unfavorable environments: Lessons from research on successful children. *American Psychologist*, 53(2), 205-220.
- Mathews-Younes, A., Davis, N. J., Ritchie, G. (2002). *The Promotion of Mental Health and Prevention of Mental Health and Behavioral Disorders*. Working paper. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- McConaughy, S. H., & Wadsworth, M. E. (2000). Life history reports of young adults previously referred for mental health services. *Journal of Emotional and Disorders*, 8(4), 202–215.
- McMahon, R. J., Collins, L. M., Doyle, S. R., & The Conduct Problems Prevention Research Group. (2002). *Relationship of kindergarten and first grade psychopathology to tobacco use in late childhood and early adolescence*. Manuscript submitted for publication.
- Mental Health Care for Youth (2001). *A National Assessment, Annual/Final Progress Report. January 2001–December 2001*. Rockville, MD: Center for Mental Health Services.
- Merikangas, K. R. & Avenevoli, S. (2000). Implications of genetic epidemiology for the prevention of substance use disorders. *Addictive Behaviors*, 25(6), 807–820.
- Mrazek, P. J. & Haggerty, R. J. (Eds.). (1994). *Reducing Risks for Mental Disorders: Frontiers for Preventive Intervention Research*. Washington, DC: National Academy Press.
- Mueser, K. T., Yarnold, P. R., Levinson, D. F., Singh, H., Bellack, A. S., Kee, K., Morrison, R. L., & Yadam, K. G. (1990). Prevalence of substance abuse in schizophrenia: Demographic and clinical correlates. *Schizophrenia Bulletin*, 16, 31–56.

Mueser, K. T., Drake, R. E., & Miles, K. (1997). The course and treatment of substance use disorder in persons with severe mental illness. In L.S. Onken, J.D. Blaine, S. Genser, A. M. Horton, (Eds.). *Treatment of drug-dependent individuals with comorbid disorders*. Rockville, MD: National Institute on Drug Abuse.

Murray, C.J.L. & Lopez, A.D. (1996). *The global burden of disease: Summary*. Geneva, Switzerland: World Health Organization.

National Association of State Mental Health Program Directors and National Association of State Alcohol and Drug Abuse Directors (NASMPD/NASADAD) (1999). *National Dialogue on Co-Occurring Mental Health and Substance Abuse Disorders*. Alexandria, VA, and Washington, DC: NASMHPD/NASADAD.

National Institute of Mental Health. (1998). *Priorities for prevention research at NIMH: A report by the National Advisory Mental Health Council Workgroup on Mental Disorders Prevention Research* (NIH Publication No. 98-4321). Washington, DC: U.S. Government Printing Office.

National Institute of Drug Abuse website (NIDA) (n.d.) Retrieved June, July, and August 2002, Available online at: www.nida.gov/

National Institute of Mental Health. (May, 2001). *Blueprint for Change: Research on Child and Adolescent Mental Health* (Draft presented to Council). Bethesda, MD: NIMH.

National Science and Technology Council. (1997, April). *Investing in our future: A national research initiative for America's children for the 21st century*. Washington, DC: Executive Office of the President, Office of Science and Technology Policy.

New Freedom Commission on Mental Health. (2003). *Achieving the promise: Transforming mental health care in America: Final report* (DHHS Pub. No. SMA 03-3832). Rockville, MD: Author.

New York State Office of Mental Health. (July 1999). *Prevention: Our Future Together, Mental Health Preventive Services: Evidence-Based Interventions for Practice*. Albany, NY.

Olds, D. L., Eckenrode, J., Henderson, C. R., Jr., Kitzman, H., Powers, J., Cole, R., Sidora, K., Morris, P., Pettitt, L. M., & Luckey, D. (1997). Long-term effects of home visitation on maternal life course and child abuse and neglect. Fifteen-year follow up of randomized trial. *Journal of the American Medical Association*, 278, 637–643.

Olds, D., Henderson, C. R., Cole, R., Eckenrode, J., Kitzman, H., Luckey, D., Pettitt, L., Sidora, K., Morris, P., & Powers, J. (1998). Long-term effects of nurse home visitation on children's criminal and antisocial behavior: Fifteen-year follow-up of a randomized controlled trial. *Journal of the American Medical Association* 280:1238–1244.

Olds, D., Robinson, J., Song, N., Little, C., and Hill, P. (1999). *Reducing Risks for Mental Disorders During the First Five Years of Life: A Review of Prevention Interventions*. Rockville, MD: Center for Mental Health Services.

Osher, F. C. (1996). A vision for the future: Toward a service system responsive to those with co-occurring addictive and mental disorders. *American Journal of Orthopsychiatry*, 66(1), 71–76.

Oyserman, D., Mowbray, C. T., Meares, P. A. & Firminger, K. B. (2000). Parenting among mothers with a serious mental illness. *American Journal of Orthopsychiatry*, 70(3), 296–314.

Prevention Research Center for the Promotion of Human Development at Pennsylvania State University. Components of effective prevention programs. Available online at: journals.apa.org/oprevention/volume4/pre0040001a.html

Prevention & Treatment. List of evidence-based prevention programs. Available online at: journals.apa.org/prevention/volume5/pre0050015a.html

RachBeisel, J. & McDuff, D. (1995). Mental disorders secondary to chronic substance abuse. In A. F. Lehman & L. B. Dixon (Eds.), *Double Jeopardy: Chronic Mental Illness and Substance Abuse Disorders*. Binghamton, NY: Harwood Academic Publishers.

Regier, D. A., Farmer, M. E., Rea, D. S., Locke, B. Z., Keith, S. J., Judd, L. L., & Goodwin, F. K. (1990). Comorbidity of mental disorders with alcohol and other drug abuse: Results from the epidemiologic catchment area study. *JAMA*, 264, 2511–2518.

Regier, D. A., Narrow, W. E., Rae, D. S., Manderscheid, R. W., Locke, B. Z., & Goodwin, F. K. (1993). The de facto US mental and addictive disorders service system. Epidemiologic Catchment Area prospective 1-year prevalence rates of disorders and services. *Archives of General Psychiatry*, 50, 85–94.

Reiss, A. J. Jr. & Roth, J. A. (1993). *Understanding and Preventing Violence*. Washington, DC: National Academy Press.

Resnick, M.D., et al. (1997). Protecting adolescents from harm: Findings from the National Longitudinal Study on Adolescent Health. *Journal of the American Medical Association*, 278, 823-832.

- Rohde, P., Lewinsohn, P. M., & Seeley, J. R. (1996). Psychiatric comorbidity with problematic alcohol use in high school students. *Journal of the American Academy of Child and Adolescent Psychiatry*, 35, 101–109.
- Rosenblatt, J. A., & Rosenblatt, A. (1999). Youth functional status and academic achievement in collaborative mental health and education programs: Two California care systems. *Journal of Emotional and Behavioral Disorders*, 7(1), 21–30, 53.
- Rutter, M., Cox, A., Tupling, C., Berger, M., & Yule, W. (1975). Attainment and adjustment in two geographical areas. I: The prevalence of psychiatric disorder. *British Journal of Psychiatry*, 126, 493–509.
- Sambrano et al., (2002). The National Cross-Site Evaluation of High-Risk Youth Programs: Points of prevention overview, Monographs 1-4. United States Department of Health and Human Services & SAMHSA's National Clearinghouse for Alcohol & Drug Information. Available online at: <http://ncadi.samhsa.gov/govpubs/FO36/>
- Scanlon, K., Williams, M., & Raphael, B. (1997). *Mental health promotion in NSW: Conceptual framework for developing initiatives*. Sydney, Australia: NSW Health Department.
- Schettler, T., Stein, J., Reich, F., Valenti, M., & Wallinga, D. (2000). In harm's way: Toxic threats to child development. *Greater Boston Physicians for Social Responsibility*. Cambridge, MA Available online at: www.igc.org/psr/
- Schinke, S., Brounstein, P., & Gardner, S. (2003). *Science-Based Prevention Programs and Principles, 2002* (DHHS Publication No. SMA 03-3764). Rockville, MD: Center for Substance Abuse Prevention, Substance Abuse and Mental Health Services Administration.
- Snowden, L. R., & Cheung, F. K. (1990). Use of inpatient mental health services by members of ethnic minority groups. *American Psychologist*, 45, 347–355.
- Snowden, L. R. & Hu, T. W. (1996). Outpatient service use in minority-serving mental health programs. *Administration and Policy in Mental Health*, 24, 149–159.
- Streissguth, A. P., Barr, H. M., Kogan, J., & Bookstein, F. L. (1996). Understanding the Occurrence of Secondary Disabilities in Clients with Fetal Alcohol Syndrome (FAS) and Fetal Alcohol Effects (FAE). [Centers for Disease Control and Prevention Grant No. R04/CCR008515] Final Report. Seattle, WA: University of Washington School of Medicine, Department of Psychiatry and Behavioral Sciences, Fetal Alcohol and Drug Unit.
- Stroul, B. & Friedman, R. (1986). *A System of Care for Children and Youth with Severe*

Emotional Disturbances. Washington, DC: National Technical Assistance Center for Children's Mental Health.

Substance Abuse and Mental Health Services Administration (SAMHSA) (1999a). *CMHS School Violence Prevention Initiative's Matrix of Evidence-Based Prevention Interventions*. Rockville, MD: Center for Mental Health Services.

Substance Abuse and Mental Health Services Administration (SAMHSA) (1999b). NHSDA Series: H-9, *Results from the 1998 National Household Survey on Drug Abuse*. Office of Applied Studies.

Substance Abuse and Mental Health Services Administration (SAMHSA) (1999c). *Understanding Substance Abuse Prevention—Toward the 21st century*. DHHS Publication No. (SMA) 99-3300. Rockville, MD: Center for Substance Abuse Prevention.

Substance Abuse and Mental Health Services Administration (SAMHSA) (2002). *The National Cross-Site Evaluation of High-Risk Youth Programs*. DHHS Publication No. (SMA) 00-3375. Rockville, MD: Center for Substance Abuse Prevention.

Substance Abuse and Mental Health Services Administration. (2002a). *Results from the 2001 National Household Survey on Drug Abuse: Volume I. Summary of National Findings*. DHHS Publications No. (SMA) 02-3758. Rockville, MD: SAMHSA, Office of Applied Studies.

Substance Abuse and Mental Health Services Administration. (2002b). *Report to congress on the prevention and treatment of co-occurring substance abuse disorders and mental disorders*. Rockville, MD: Author. Available online at: www.samhsa.gov

Substance Abuse and Mental Health Services Administration. (2002c). *The National Cross-Site Evaluation of High-Risk Youth Programs* (DHHS Publication No. SMA 25-01). Rockville, MD: Center for Substance Abuse Prevention.

Taylor, T.K., Metzler, C., & Eddy, M. (2002, May). *Finding common ground in best practice lists: Top 21 evidence-based family-focused programs*. Paper presented at the meeting of the Society for Prevention Research, Seattle, Washington.

Tobler, N. S. (1986). Meta-analysis of 143 adolescent drug prevention programs: Quantitative outcome results of program participants compared to a control or comparison group. *Journal of Drug Issues*, 16(4), 537-567. Available online at : <http://www.health.state.nm.us/bhsd/prevention/xbluepart5.htm>

UCLA School Mental Health Project, Center for Mental Health in Schools (n.d.). Available online at smhp.psych.ucla.edu .

U.S. Department of Education (1998). Twentieth Annual Report to Congress on the Implementation of the Individuals with Disabilities Act. Washington, DC: USED.

U.S. Department of Health and Human Services (USDHHS/SAMHSA) (1999a). *Blending Perspectives and Building Common Ground. A Report to Congress on Substance Abuse and Child Protection*. Washington, DC: U.S. Government Printing Office.

U.S. Department of Health and Human Services (USDHHS) (1999). *Mental Health: A Report of the Surgeon General, Chapter 3: Children and Mental Health*. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Center for Mental Health Services, National Institute of Health, National Institute of Mental Health.

U.S. Department of Health and Human Services (USDHHS) (2001a). *Mental Health: Culture, Race, and Ethnicity—A supplement to Mental Health: A Report of the Surgeon General*. Rockville, MD: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Injury Prevention and Control; Substance Abuse and Mental Health Services Administration; and National Institutes of Health, National Institute of Mental Health.

U.S. Department of Health and Human Services (USDHHS) (2001b). *Youth Violence: A Report of the Surgeon General*. Rockville, MD: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Injury Prevention and Control; Substance Abuse and Mental Health Services Administration; and National Institutes of Health, National Institute of Mental Health.

U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration (USDHHS/SAMHSA) (1994). *CSAT Treatment Improvement Protocol #9: Assessment and Treatment of Patients with Co-existing Mental Illness and Alcohol and Other Drug Abuse*. Rockville, MD: HHS Substance Abuse and Mental Health Services Administration.

U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration. (USDHHS/SAMHSA) (2002). *Report to Congress on the Prevention and Treatment of Co-Occurring Substance Abuse Disorders and Mental Disorders*. Rockville, MD: HHS Substance Abuse and Mental Health Services Administration.

U.S. Public Health Service (1999). The Surgeon General's Call to Action to Prevent Suicide. Washington, DC.

United States Statutes at Large, 102nd Congress, 2nd Session. ADAMHA Reorganization Act, July 10, 1992, 102 P.L. 321; 106 Stat.323. Potomac, MD: Potomac Publishing Company, Inc.

Webster-Stratton, C. & Taylor, T.K. (2001). Nipping early risk factors in the bud: Preventing substance abuse, delinquency, and violence in adolescence: Interventions targeted at young children (0-8) years. *Prevention Science*, 2(3), 165-192.

Weissberg, R. P. & Greenberg, M. T. (1998). School and community competence-enhancement and prevention programs. In W. Damon (Series Ed.) and I.E. Sigel and K.A. Renninger (Vol. Eds.), *Handbook of Child Psychology: Vol. 4. Child Psychology in Practice* (5th ed., pp. 877–954). New York: Wiley.

Werner, E. (1996b). How children become resilient: Observations and cautions. *Resilience in Action, Winter*, 18-28.

Woodruff, D. W., Osher, D., Hoffman, C. C., Gruner, A., King, M. A., Snow, S. T., & McIntire, J. C. (1999). The role of education in a system of care: Effectively serving children with *serious emotional or behavioral disorders*. *Systems of Care: Promising Practices in Children's Mental Health, 1998 Series, Volume III*. Washington, DC: Center for Effective Collaboration and Practices, American Institute for Research.